# **MATERIAL SAFETY DATA SHEET**

Trade Name:
MSDS NO.
Revision Date:

Castrol PAG 46 Premium Air Conditioning Lubricant 6813 02/28/2002

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name:	Castrol PAG 46 Premium Air Conditioning Lubricant
Chemical Family:	Refrigeration Oil
Synonyms:	None
Emergency Telephone (24 hr.):	CHEMTREC 1-800-424-9300
Supplier:	

Technical Chemical Company, P.O. Box 139, Cleburne, Texas 76033

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Tricreysl Phosphate contains <1% ortho isomer and is not considered a Marine Pollutant by DOT. Contains no other ingredients in concentrations >.1% that are now known to be hazardous as defined by OSHA.

# 3. HAZARDS IDENTIFICATION

Emergency Overview:	This material is a skin irritant. Causes moderate eye irritation. Causes respiratory irritation.
,	4. FIRST AID MEASURES
Eye Contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation
•	persists.
Ingestion:	DO NOT induce vomiting. Wash out mouth with water and give 1 or 2 glasses of water to drink. If gastrointestinal
	sympotoms develop, consult medical personnel. Never give anything by mouth to an unconscious person. This material is considered to be only slightly toxic. The potential complications associated with removing material from the GI tract,
	the amount digested, and the time since ingestion should be taken into account when developing a treatment plan.
Inhalation:	Not a hazard under normal use conditions. Remove from source of exposure. If signs of irritation or toxicity occur seek
Skin Contact:	medical attention. Flush with copious amounts of water. Remove contaminated clothing and launder before reuse. Get medical attention if
Skin Contact.	irritation persists.
	5. FIRE FIGHTING MEASURES
Flammable Properties	
Flash Point °F(°C):	250 C.
Flash Point Method:	
Flammable Limits in Air - Flammable Limits in Air -	
Autoignition Temperature	
Extinguishing Media:	Water fog, carbon dioxide, foam, dry chemical If water is used, use with care to avoid possible violent
	production of steam.
Protection Of Fire-Fighte	
Special Fire-Fighting Pro Hazardous Combustion I	
Aerosol Comments:	Not Applicable
	6. ACCIDENTAL RELEASE MEASURES
Personal Precautions:	Wear appropriate protective clothing and equipment to prevent skin and eye contact.
Spill Procedures:	Wear protective equipment specified. Contain any liquid from leaking containers.
	Absorb spills on inert material such as perlite, vermiculite, sand or dirt. Place in double polyethylene bags. Isolate
Environmental Precautio	from other waste materials. Wash walking surfaces with detergent and water to reduce slipping hazard. ns: Do not allow to enter sanitary drains, sewer or surface and subsurface waters.
	<ul> <li>Do not allow to enter samilary drams, sewer or sunace and subsurace waters.</li> <li>7. HANDLING AND STORAGE</li> </ul>
	contact with eyes. Keep containers tightly closed when not in use. Use only in a well ventilated area. Good hygienic practices I be observed. Work clothes should be washed seperately at the end of each work day. Disposable clothing should be
	ded with material. Wash thoroughly after handling. Do Not Swallow. Do not store at temperatures greater than 100 F.
	8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Engineering Controls:	Eyewash stations. Showers. Local exhaust ventilation as necessary to maintain exposures to within applicable
	limits.
Eyes:	Chemical goggles; also wear a face shield if splashing hazard exists.
Skin Protection: Respiratory Protection:	Use chemical resistant gloves for prolonged skin contact. Neoprene coated apron or clothing. Not normally needed, if controls are adequate. If needed, use MSHA-NIOSH approved respirator for organic

vapors

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

3. THIORAE AND ONE MORE I NOT ENTED				
Appearance:	bearance: Colorless to light yellow liquid			
Odor:	MILD	pH Value:	Not Determined	
Vapor Pressure:	<5 mm Hg @ 2	C. Vapor Density (Air=1):	Not Determined	
Boiling Point (°F):	>200 C	Melting/Freezing Point:	Not determined.	
Solubility in Water:	INSOLUBLE	Bulk Density at 20°C:	Not Determined	
Molecular Weight:	Mixture	Evaporation Rate:	Not Determined	
Viscosity:	68 cSt @ 40 C	Specific Gravity (H20=1):	Not Determined	
VOC Content(%):	Not determined.	Decomposition Temperature:	Not Known	
		10. STABILITY AND REACTIVI	ТҮ	
Chemical Stability:	Si	able at normal conditions		
Conditions to Avoid:	N	ne anticipated		
Materials to Avoid:	Si	ong oxidizing agents. Alkali metals.		
Hazardous Decompositi	on Products: O	ides of phosphorus Carbon monoxide. Carbon c	lioxide.	
Hazardous Polymerization	on: W	LL NOT OCCUR		

**11. TOXICOLOGICAL INFORMATION** 

**Toxicological Data:** 

Carcinogenicity:

No component known to be present in this product at >.1% is presently listed as a carcinogen by IARC, NTP or OSHA.

#### 12. ECOLOGICAL INFORMATION

Ecological testing has not been conducted on this product.

#### 13. DISPOSAL CONSIDERATION

Waste Classification:

This product as purchased does not fall under current U.S. EPA RCRA difinitions of hazardous waste. Under RCRA it is the generator's responsibility to determine the status of the waste at the time of its disposal. This product does not contain any CERCLA regulated materials.

Waste Management: Not determined.

Disposal of this material to the land may be banned by federal law (40 CFR 268).

### **14. TRANSPORTATION INFORMATION**

	15. REGULATORY INFORMATION
Marine Pollutant:	No
Packing Group:	Not Applicable
UN No.:	Not Applicable
Hazard Subclass:	Not Applicable
Hazard Class:	Not determined.
Proper Shipping Name:	Not Regulated
IMDG:	
DOT Packing Group:	Not Applicable
UN/NA Number:	Not Applicable
Hazard Class:	Not Applicable
Proper Shipping Name:	Not Regulated

**US Federal Regulations:** 

### Trade Name: Castrol PAG 46 Premium Air Conditioning Lubricant MSDS NO. 6813

Hazardous per OSHA 29 CFR 1910.1200

SARA 311/312 Hazard Catagories: Not Determined.

#### State Regulations:

U.S. TSCA:	The components of this product are listed on the TSCA Inventory.
	16. OTHER INFORMATION

#### Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system.

#### General Notes: Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, Technical Chemical Company does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Technical Chemical Company assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.